

Anti-TNF alpha Antibody Picoband®

Catalog Number: A00002-4

About Tnf

TNFalpha (Tumor Necrosis Factor alpha) gene encodes a multifunctional proinflammatory cytokine that belongs to the tumor necrosis factor (TNF) superfamily. This cytokine is mainly secreted by macrophages. It can bind to, and thus functions through its receptors TNFRSF1A/TNFR1 and TNFRSF1B/TNFR. And this cytokine is involved in the regulation of a wide spectrum of biological processes including cell proliferation, differentiation, apoptosis, lipid metabolism, and coagulation. Moreover, this cytokine has been implicated in a variety of diseases, including autoimmune diseases, insulin resistance, and cancer. Knockout studies in mice also suggested the neuroprotective function of this cytokine.

Overview


Product Name	Anti-TNF alpha Antibody Picoband®
Reactive Species	Mouse
Description	Boster Bio Anti-TNF alpha Antibody Picoband® catalog # A00002-4. Tested in WB applications. This antibody reacts with Mouse. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P06804

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of mouse TNF alpha, which shares 92.3% and 86.7% amino acid (aa) sequence identity with human and rat TNF alpha, respectively.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Lyophilized

Concentration	Add 0.2ml of distilled water will yield a concentration of 500ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Mouse

Anti-TNF alpha Antibody Picoband® (A00002-4) Images



Western blot analysis of TNF alpha using anti-TNF alpha antibody (A00002-4). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions. Lane 1: mouse spleen tissue lysates, Lane 2: mouse thymus tissue lysates, Lane 3: mouse liver tissue lysates, Lane 4: mouse lung tissue lysates, Lane 5: mouse kidney tissue lysates. After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-TNF alpha antigen affinity purified polyclonal antibody (Catalog # A00002-4) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for TNF alpha at approximately 25KD. The expected band size for TNF alpha is at 25KD.

17 Publications Citing This Product

1. PubMed ID: 33607154, Liao L,Huang L,Wei X,Yin L,Wei X,Li T.Bioinformatic and biochemical studies of formononetin against liver injure.Life Sci.2021 Feb 16:119229.doi:10.1016/j.lfs.2021.119229.Epub ahead of print.PMID:33607154.
2. PubMed ID: 33607154, Liao L,Huang L,Wei X,Yin L,Wei X,Li T.Bioinformatic and biochemical studies of formononetin against liver injure.Life Sci.2021 Feb 16:119229.doi:10.1016/j.lfs.2021.119229.Epub ahead of print.PMID:33607154.
3. PubMed ID: 33642941, Ye D,Hu Y,Zhu N,Gu W,Long G,Tao E,Fang M,Jiang M. Exploratory Investigation of Intestinal Structure and Function after Stroke in Mice. Mediators Inflamm.2021 Feb 15;2021:1315797.doi: 10.1155/2021/1315797.PMID:33642941;PMCID:PMC7902147.

Visit bosterbio.com/anti-tnf-alpha-picoband-trade-antibody-a00002-4-boster.html to see all 17 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-TNF alpha Antibody

For Research Use Only. Not for use in diagnostic procedures.