

## Anti-JAK2 (Ab-570) Antibody

Catalog Number: A00027

### About JAK2

Non-receptor tyrosine kinase involved in various processes such as cell growth, development, differentiation or histone modifications. Mediates essential signaling events in both innate and adaptive immunity. In the cytoplasm, plays a pivotal role in signal transduction via its association with type I receptors such as growth hormone (GHR), prolactin (PRLR), leptin (LEPR), erythropoietin (EPOR), thrombopoietin (THPO); or type II receptors including IFN-alpha, IFN-beta, IFN-gamma and multiple interleukins. Following ligand-binding to cell surface receptors, phosphorylates specific tyrosine residues on the cytoplasmic tails of the receptor, creating docking sites for STATs proteins. Subsequently, phosphorylates the STATs proteins once they are recruited to the receptor. Phosphorylated STATs then form homodimer or heterodimers and translocate to the nucleus to activate gene transcription. For example, cell stimulation with erythropoietin (EPO) during erythropoiesis leads to JAK2 autophosphorylation, activation, and its association with erythropoietin receptor (EPOR) that becomes phosphorylated in its cytoplasmic domain. Then, STAT5 (STAT5A or STAT5B) is recruited, phosphorylated and activated by JAK2. Once activated, dimerized STAT5 translocates into the nucleus and promotes the transcription of several essential genes involved in the modulation of erythropoiesis. In addition, JAK2 mediates angiotensin-2-induced ARHGEF1 phosphorylation. Plays a role in cell cycle by phosphorylating CDKN1B. Cooperates with TEC through reciprocal phosphorylation to mediate cytokine-driven activation of FOS transcription. In the nucleus, plays a key role in chromatin by specifically mediating phosphorylation of 'Tyr-41' of histone H3 (H3Y41ph), a specific tag that promotes exclusion of CBX5 (HP1 alpha) from chromatin.

Saltzman A., Biochem. Biophys. Res. Commun. 246:627-633(1998).

Dalal I., Blood 91:844-851(1998).

Peeters P., Blood 90:2535-2540(1997)


### Overview

Product Name	Anti-JAK2 (Ab-570) Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-JAK2 (Ab-570) Antibody (Catalog # A00027). Tested in WB, IF applications. This antibody reacts with Human, Mouse.
Application	IF, WB
Clonality	Polyclonal
Formulation	Rabbit IgG in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O60674


### Technical Details

Immunogen	Synthesized non-phosphopeptide derived from human JAK2 around the phosphorylation site of tyrosine 570 (G-D-Y(p)-G-Q).
Predicted Reactive Species	Bovine, Chicken
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Suggested Dilutions	Western blotting: 1:500~1:3000 Immunofluorescence: 1:100~1:500

## Anti-JAK2 (Ab-570) Antibody (A00027) Images



Western blot analysis of extracts from 293 cells, treated with etoposide (25uM, 24hours), using JAK2 (Ab-570) antibody A00027.



Immunofluorescence analysis of NIH/3T3 cells, using JAK2 (Ab-570) antibody A00027.

## 2 Publications Citing This Product

1. PubMed ID: 10.1177/0300060519895353, Saturated hydrogen alleviates CCl4-induced acute kidney injury via JAK2/STAT3/p65 signaling:
2. PubMed ID: 10.1111/odi.13169, JAK2-STAT3 signaling pathway is involved in rat periapical lesions induced by Enterococcus faecalis

Visit [bosterbio.com/anti-jak2-ab-570-antibody-a00027-boster.html](https://www.bosterbio.com/anti-jak2-ab-570-antibody-a00027-boster.html) to see all 2 publications.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-JAK2 (Ab-570) Antibody

For Research Use Only. Not for use in diagnostic procedures.