

Anti-CFTR Antibody

Catalog Number: A00028

About CFTR

The cystic fibrosis transmembrane conductance regulator (CFTR) protein is a member of the ATP-binding cassette (ABC) transporter superfamily, and a member of the MRP subfamily that is involved in multi-drug resistance (1,2). CFTR functions as a chloride channel and controls the regulation of other transport pathways (3). Mutations in this gene are associated with the autosomal recessive disorder cystic fibrosis, the most common, fatal, inherited disease of caucasian populations (1).

Overview


Product Name	Anti-CFTR Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-CFTR Antibody (Catalog # A00028). Tested in ELISA, WB, IHC-P, IF applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IF, IHC-P, WB
Clonality	Polyclonal
Formulation	CFTR Antibody is supplied in PBS containing 0.02% sodium azide.
Storage Instructions	CFTR antibody can be stored at 4°C for three months and -20°C, stable for up to one year.
Host	Rabbit
Uniprot ID	P13569

Technical Details


Immunogen	CFTR antibody was raised against an 18 amino acid peptide near the carboxy terminus of human CFTR. The immunogen is located within amino acids 1290 - 1340 of CFTR.
Predicted Reactive Species	Bovine, Guinea Pig, Horse, Pig, Rabbit, Sheep
Cross Reactivity	CFTR antibody is human, mouse and rat reactive.
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL
Purification	CFTR antibody is affinity chromatography purified via peptide column.
Suggested Dilutions	CFTR antibody can be used for detection of CFTR by Western blot at 1 - 2 ug/ml. Antibody can also be used for Immunohistochemistry starting at 5 ug/mL. For immunofluorescence start at 20 ug/mL.

Antibody validated: Western Blot in human samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.


Anti-CFTR Antibody (A00028) Images



Western blot analysis of CFTR in human small intestine tissue lysate with CFTR antibody at 1 ug/ml.



Immunohistochemistry of CFTR in human small intestine tissue with CFTR antibody at 5 ug/mL.



Immunofluorescence of CFTR in human small intestine tissue with CFTR antibody at 20 ug/mL.

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-CFTR Antibody

For Research Use Only. Not for use in diagnostic procedures.