

## Anti-HNF4 Alpha / Gamma (K127) HNF4A Antibody

Catalog Number: A00389


### Overview

|                      |  |
|----------------------|--|
| Product Name         | Anti-HNF4 Alpha / Gamma (K127) HNF4A Antibody  |
| Reactive Species     | Human, Mouse, Rat  |
| Description          | Boster Bio Anti-HNF4 Alpha / Gamma (K127) HNF4A Antibody catalog # A00389. Tested in WB,IHC applications. This antibody reacts with Human,Mouse,Rat. |
| Application          | IHC, WB  |
| Clonality            | Polyclonal   |
| Formulation          | Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2   |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.           |
| Host                 | Rabbit   |
| Uniprot ID           | P41235/Q14541  |


### Technical Details

|                     |   |
|---------------------|---|
| Immunogen           | Synthetic peptide, corresponding to amino acids 100-150 of Human HNF4alpha.   |
| Cross Reactivity    | Does not cross-react with eNOS or nNOS.   |
| Isotype             | IgG   |
| Form                | Liquid  |
| Concentration       | 1 mg/ml   |
| Purification        | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). |
| Suggested Dilutions | WB: 1:500-1:1000<br>IHC: 1:50-1:200   |


## Anti-HNF4 Alpha / Gamma (K127) HNF4A Antibody (A00389) Images



Western blot (WB) analysis of HNF-4alpha/gamma (K127) pAb at 1:500 dilution Lane1:HEK293T whole cell lysate(40ug) Lane2:HCT116 whole cell lysate(40ug) Lane3:L02 whole cell lysate(40ug) Lane4:H9C2 whole cell lysate(40ug) Lane5:AML-12 whole cell lysate(40ug)



Immunohistochemistry (IHC) analyzes of HNF4alpha/gamma (K127) pAb in paraffin-embedded human colon carcinoma tissue at 1:50. showing nucleus staining. Negative control (the right) Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.



Immunohistochemistry (IHC) analyzes of HNF4alpha/gamma (K127) pAb in paraffin-embedded human liver carcinoma tissue at 1:50. showing nucleus staining. Negative control (the right) Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-HNF4 Alpha / Gamma (K127) HNF4A Antibody

For Research Use Only. Not for use in diagnostic procedures.