

## Anti-TIMP1 Antibody Picoband®

Catalog Number: A00561

### About TIMP1

TIMP metalloproteinase inhibitor 1, also known as TIMP1, a tissue inhibitor of metalloproteinases, is a glycoprotein that is expressed from the several tissues of organisms. This protein is a member of the TIMP family. The glycoprotein is a natural inhibitor of the matrix metalloproteinases (MMPs), a group of peptidases involved in degradation of the extracellular matrix. In addition to its inhibitory role against most of the known MMPs, the encoded protein is able to promote cell proliferation in a wide range of cell types, and may also have an anti-apoptotic function. Transcription of this gene is highly inducible in response to many cytokines and hormones. TIMP was found to be located about 22 cM proximal to OTC (300461).

### Overview


Product Name	Anti-TIMP1 Antibody Picoband®
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-TIMP1 Antibody Picoband® catalog # A00561. Tested in ELISA, WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	ELISA, WB
Clonality	Polyclonal
Formulation	Each vial contains 4 mg Trehalose, 0.9 mg NaCl and 0.2 mg Na <sub>2</sub> HPO <sub>4</sub> .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P01033

### Technical Details

Immunogen	E. coli-derived human TIMP1 recombinant protein (Position: C24-A207).
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.

Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml, Human, Mouse, Rat ELISA, 0.1-0.5ug/ml

## Anti-TIMP1 Antibody Picoband® (A00561) Images



Western blot analysis of TIMP1 using anti-TIMP1 antibody (A00561). Electrophoresis was performed on a 12% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human HeLa whole cell lysates, Lane 2: human HL-60 whole cell lysates, Lane 3: human HT29 whole cell lysates, Lane 4: human SKOV3 whole cell lysates, Lane 5: human SiHa whole cell lysates, Lane 6: human U2OS whole cell lysates, Lane 7: human PC-3 whole cell lysates, Lane 8: human THP-1 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-TIMP1 antigen affinity purified polyclonal antibody (A00561) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for TIMP1 at approximately 23 kDa. The expected band size for TIMP1 is at 23 kDa.

## 25 Publications Citing This Product

1. PubMed ID: 10.3109/15368378.2016.1140058, Effects of electromagnetic pulse exposure on gelatinase of blood-brain barrier in vitro
2. PubMed ID: 10.3892/mmr.2020.11055, 4,4'-Bond secalonic acid D targets SP cells and inhibits metastasis in hepatocellular carcinoma
3. PubMed ID: 10.3233/THC-218020, H2S improves doxorubicin-induced myocardial fibrosis by inhibiting oxidative stress and apoptosis via Keap1-Nrf2

Visit [bosterbio.com/anti-timp1-picoband-trade-antibody-a00561-boster.html](https://bosterbio.com/anti-timp1-picoband-trade-antibody-a00561-boster.html) to see all 25 publications.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



## Anti-TIMP1 Antibody

For Research Use Only. Not for use in diagnostic procedures.