

Anti-TSH Receptor/TSHR Antibody Picoband™

Catalog Number: A00576-1

About TSHR

TSHR (Thyroid-Stimulating Hormone Receptor), also called LGR3, is mapped to 14q31.1. The protein encoded by this gene is a membrane protein and a major controller of thyroid cell metabolism. The encoded protein is a receptor for thyrothropin and thyrostimulin, and its activity is mediated by adenylate cyclase. Defects in this gene are a cause of several types of hyperthyroidism. Three transcript variants encoding different isoforms have been found for this gene.

Overview

Product Name	Anti-TSH Receptor/TSHR Antibody Picoband™
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-TSH Receptor/TSHR Antibody Picoband™ catalog # A00576-1. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P16473

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human TSH Receptor, different from the related mouse sequence by two amino acids, and from the related rat sequence by one amino acid.
Predicted Reactive Species	Chicken
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.

Purification	Immunogen affinity purified.
Suggested Dilutions	<p>Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.</p> <p>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.</p> <p>Some PubMed article(s) citing the expression level of this target are as follows:</p> <p>Boster Bio's internal QC testing used:</p> <p>Western blot, 0.1-0.5ug/ml, Mouse, Rat, Human</p>

Anti-TSH Receptor/TSHR Antibody Picoband™ (A00576-1) Images




Figure 1. Western blot analysis of TSH Receptor using anti-TSH Receptor antibody (A00576-1). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.
Lane 1: rat brain tissue lysates,
Lane 2: mouse brain tissue lysates.
After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-TSH Receptor antigen affinity purified polyclonal antibody (Catalog # A00576-1) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for TSH Receptor at approximately 86KD. The expected band size for TSH Receptor is at 86KD.

1 Publications Citing This Product

1. PubMed ID: 10.1111/asj.12883, Effects of hyper² and hypothyroidism on the development and proliferation of testicular cells in prepubertal rats

Visit bosterbio.com/anti-tsh-receptor-picoband-trade-antibody-a00576-1-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-TSH Receptor/TSHR Antibody TM