

Anti-IL1RN Antibody (C-term)

Catalog Number: A00651

About IL1RN

The protein is a member of the interleukin 1 cytokine family. This protein inhibits the activities of interleukin 1, alpha (IL1A) and interleukin 1, beta (IL1B), and modulates a variety of interleukin 1 related immune and inflammatory responses. A polymorphism of its gene is reported to be associated with increased risk of osteoporotic fractures and gastric cancer.

Overview

Product Name	Anti-IL1RN Antibody (C-term)
Reactive Species	Human
Description	Boster Bio Anti-IL1RN Antibody (C-term) (Catalog # A00651). Tested in WB, IF, Flow Cytometry application(s). This antibody reacts with Human.
Application	Flow Cytometry, IF, WB
Clonality	Polyclonal
Formulation	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide.
Storage Instructions	Maintain refrigerated at 2-8°C for up to 2 weeks. For long-term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P18510


Technical Details

Immunogen	This IL1RN antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 147-177 amino acids from the C-terminal region of human IL1RN.
Predicted Reactive Species	C. elegans
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).
Cross Reactivity	No cross reactivity with other proteins.
Isotype	Rabbit IgG
Form	Liquid
Purification	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.


Suggested Dilutions

IF: 1:10-1:50
WB: 1:1000
FC: 1:10-1:50


Anti-IL1RN Antibody (C-term) (A00651) Images




Confocal immunofluorescent analysis of IL1RN Antibody (C-term) with WiDr cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



Anti-IL1RN Antibody (C-term) at 1:4000 dilution + 293 whole cell lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 20 kDa. Blocking/Dilution buffer: 5% NFDm/TBST.



IL1RN Antibody (C-term) (Cat. # A00651) western blot analysis in 293, Hela cell line lysates (35ug/lane). This demonstrates the IL1RN antibody detected the IL1RN protein (arrow).



IL1RN Antibody (C-term) (Cat. #A00651) flow cytometric analysis of HepG2 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-IL1RN Antibody (C-term)

For Research Use Only. Not for use in diagnostic procedures.