BOSTER
antibody and ELISA experts

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Rock-1 Antibody

Catalog Number: A00722-3

Overview

Product Name	Anti-Rock-1 Antibody
Reactive Species	Human, Monkey, Mouse, Rat
Description	Boster Bio Anti-Rock-1 Antibody catalog # A00722-3. Tested in ELISA, Flow Cytometry, IHC, WB applications. This antibody reacts with Human, Monkey, Mouse, Rat.
Application	ELISA, IF, IHC, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q13464

Technical Details

Immunogen	The antiserum was produced against synthesized peptide derived from human Rock-1. AA range:262-311
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Suggested Dilutions	IF 1:50-200 WB 1:500-1:2000 IHC 1:100-1:300 ICC 1:200-1:1000 ELISA 1:20000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Rock-1 Antibody (A00722-3) Images



Western Blot (WB) analysis of COS7 cell lysate using Rock-1 Antibody (STJ95527) from 2 batches.

Western blotting validation for Anti-Rock-1 Antibody A00722-3 Western blot (WB) analysis of Rock-1 polyclonal antibody. Electrophoresis was performed on a SDS-PAGE gel. To determine SDS-PAGE gel concentration



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of human-liver-cancer tissue. Anti-Rock-1 at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of human lung cancer tissue. Anti-Rock-1 at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of human stomach cancer tissue. Anti-Rock-1 at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of human tonsil tissue. Anti-Rock-1 at 1:200 (4°C

Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of mouse kidney tissue. Anti-Rock-1 at 1:200 (4°C

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com





Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of mouse liver tissue. Anti-Rock-1 at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of mouse lung tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of mouse spleen tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of mouse testis tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat brain tissue. A00722-3 was diluted at 1:200 (4°C

Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat heart tissue. A00722-3 was diluted at 1:200 (4°C

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com





Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat kidney tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat lung tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat spinal cord tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat spleen tissue. A00722-3 was diluted at 1:200 (4°C



Immunohistochemistry validation of ROCK1 using Anti-Rock-1 Antibody (A00722-3). Immunohistochemical analysis of rat testis tissue. Anti-Cleaved-Caspase-1 (D210) antibody was diluted at 1:200 (4°C

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Rock-1 Antibody

For Research Use Only. Not for use in diagnostic procedures.