

## Anti-Paxillin/PXN Antibody Picoband® APC Conjugated

Catalog Number: A01033-2-APC

### About PXN

PXN(Paxillin) is a signal transduction adaptor protein discovered in 1990 in the laboratory of Keith Burridge. Salgia et al.(1995) mapped the paxillin gene to 12q24 using fluorescence in situ hybridization. The C-terminal region of paxillin contains four LIM domains that target paxillin to focal adhesions, it is presumed through a direct association with the cytoplasmic tail of beta-integrin. The N-terminal region of paxillin is rich in protein-protein interaction sites. The proteins that bind to paxillin are diverse and include protein tyrosine kinases, such as Src and FAK, structural proteins, such as vinculin and actopaxin, and regulators of actin organization, such as COOL/PIX and PKL/GIT. Paxillin is tyrosine-phosphorylated by FAK and Src upon integrin engagement or growth factor stimulation, creating binding sites for the adapter protein Crk. The paxillin protein contains 4 LIM domains, a proline-rich domain containing a consensus SH3-binding site, and 3 potential SH2-binding sites. On Northern blots, paxillin was expressed as a 3.7-kb mRNA in all tissues tested.

### Overview

Product Name	Anti-Paxillin/PXN Antibody Picoband® APC Conjugated
Reactive Species	Human, Mouse, Rat
Application	Recommended applications are based on the parent unconjugated antibody (ELISA, Flow Cytometry, IHC, WB). Customers may select suitable applications according to their experimental needs.
Clonality	Polyclonal
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.02% NaN <sub>3</sub> .
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.
Host	Rabbit
Uniprot ID	P49023

### Technical Details

Immunogen	E.coli-derived human Paxillin/PXN recombinant protein (Position: A9-K570).
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5 mg/mL
Purification	Immunogen affinity purified.
Conjugate	APC

	Excitation Wavelength: 633-647 nm Emission Wavelength: 660 nm
Suggested Dilutions	Optimal dilutions should be determined by end users.

## 1 Publications Citing This Product

1. PubMed ID: 24637093, Zhong S, Luo R, Wang X, Tang L, Wu J, Wang J, Huang R, Sun H, Huang N. Colloids Surf B Biointerfaces. 2014 Apr 1;116:553-60. Doi: 10.1016/J.Colsurfb.2014.01.030. Epub 2014 Jan 30. Effects Of Polydopamine Functionalized Titanium Dioxide Nanotubes O...

Visit [bosterbio.com/anti-paxillin-pxn-picoband-trade-antibody-a01033-2.html](http://bosterbio.com/anti-paxillin-pxn-picoband-trade-antibody-a01033-2.html) to see all 1 publications.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Paxillin/PXN Antibody - APC

For Research Use Only. Not for use in diagnostic procedures.