

## Anti-VEGF Receptor 3/FLT4 Antibody Picoband® Biotin Conjugated

Catalog Number: A01276-3-Biotin

### About FLT4

Fms-related tyrosine kinase 4, also known as FLT4 or VEGFR3, is a protein which in humans is encoded by the FLT4 gene. It is mapped to 5q35.3. This gene encodes a tyrosine kinase receptor for vascular endothelial growth factors C and D. The protein is thought to be involved in lymphangiogenesis and maintenance of the lymphatic endothelium. FLT4 has an essential role in the development of the embryonic cardiovascular system before the emergence of the lymphatic vessels. It has been found that FLT4, which provides proangiogenic signaling when expressed on endothelium, may also have antiangiogenic properties when expressed at an avascular site by nonendothelial cells. FLT4 is also regarded as a regulator of vascular network formation.

### Overview

Product Name	Anti-VEGF Receptor 3/FLT4 Antibody Picoband® Biotin Conjugated
Reactive Species	Human, Mouse, Rat
Application	WB, IHC, ELISA
Clonality	Polyclonal
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.02% NaN <sub>3</sub> .
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	P35916

### Technical Details

Immunogen	E. coli-derived human VEGF Receptor 3 recombinant protein (Position: Y25-N259).
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5 mg/mL
Purification	Immunogen affinity purified.
Conjugate	Biotin
Suggested Dilutions	Western blot, Optimal dilutions should be determined by end users. Immunohistochemistry (Paraffin-embedded Section), Optimal dilutions should be determined by

end users.  
ELISA, Optimal dilutions should be determined by end users.

## 4 Publications Citing This Product

1. PubMed ID: 10.3892/etm.2021.9986, Expression levels of VEGF $\beta$ C and VEGFR $\beta$ 3 in renal cell carcinoma and their association with lymph node metastasis
2. PubMed ID: 10.1016/j.arcmed.2007.06.021, Expression of Cyclooxygenase-2 and Vascular Endothelial Growth Factor-C Correlates with Lymphangiogenesis and Lymphatic Invasion in Human Gastric Cancer
3. PubMed ID: 10.1007/s11670-010-0303-5, Interleukin-18 suppresses angiogenesis and lymphangiogenesis in implanted Lewis lung cancer

Visit [bosterbio.com/anti-vegf-receptor-3-picoband-trade-antibody-a01276-3-boster.html](https://bosterbio.com/anti-vegf-receptor-3-picoband-trade-antibody-a01276-3-boster.html) to see all 4 publications.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-VEGF Receptor 3/FLT4 Antibody - Biotin

For Research Use Only. Not for use in diagnostic procedures.