

Anti-NMDA Zeta 1 (S902) GRIN1 Antibody

Catalog Number: A01808S902

About GRIN1

This is a calcium-independent, phospholipid-dependent, serine- and threonine-specific enzyme. PKC is activated by diacylglycerol which in turn phosphorylates a range of cellular proteins. PKC also serves as the receptor for phorbol esters, a class of tumor promoters. Subunit of a quaternary complex that plays a central role in epithelial cell polarization.

Parmentier JH, et al. (2004) BMC Cell Biol; 5: 4.

Castrillo A, et al. (2003) Mol Cell Biol; 23(4): 1196-1208. Paramio JM, et al. (2001) Mol Cell Biol; 21(21): 7449-7459. Braiman L, et al. (2001) Mol Cell Biol; 21(22): 7852-7861.

Overview

Product Name	Anti-NMDA Zeta 1 (S902) GRIN1 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-NMDA Zeta 1 (S902) GRIN1 Antibody catalog # A01808S902. Tested in IHC applications. This antibody reacts with Human, Mouse, Rat.
Application	IHC
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q05586

Technical Details

Immunogen	Synthesized peptide derived from human NMDAzeta1 around the phosphorylation site of S897.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml



888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: IHC: 1:50-1:200

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-NMDA Zeta 1 (S902) GRIN1 Antibody