

## Anti-RTP801 DDIT4 Antibody

Catalog Number: A02019

### About DDIT4

RTP801 was initially identified as a gene induced by DNA damage, and later found to also be regulated by other cellular stresses such as hypoxia and glucocorticoid treatment. Recently, RTP801 has been shown to act as a mediator of tuberous sclerosis complex (TSC)-dependent regulation of the mammalian Target of Rapamycin (mTOR), an evolutionarily conserved serine/threonine kinase that regulates cell growth and cell cycle. In response to energy stress, RTP801 inhibits mTOR function, resulting in dephosphorylation of downstream targets such as ribosomal protein S6 kinase 1 and 4EBP1 and decreasing cell growth. Disregulation of RTP801 may thus contribute to human tumorigenesis.

### Overview


Product Name	Anti-RTP801 DDIT4 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-RTP801 DDIT4 Antibody (Catalog # A02019). Tested in ELISA, WB, IHC-P, IF applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IF, IHC-P, WB
Clonality	Polyclonal
Formulation	RTP801 Antibody is supplied in PBS containing 0.02% sodium azide.
Storage Instructions	RTP801 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. Avoid repeated freeze-thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Host	Rabbit
Uniprot ID	Q9NX09

### Technical Details


Immunogen	RTP801 antibody was raised against a 12 amino acid synthetic peptide from near the center of human RTP801. The immunogen is located within amino acids 90 - 140 of RTP801.
Predicted Reactive Species	Bovine
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL
Purification	RTP801 Antibody is affinity chromatography purified via peptide column.
Suggested Dilutions	RTP801 antibody can be used for the detection of RTP801 by Western blot at 0.5 - 1 ug/mL. Antibody can also be used for immunohistochemistry starting at 5 ug/mL.

Antibody validated: Western Blot in human samples; Immunohistochemistry in mouse samples and Immunofluorescence in mouse samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.


## Anti-RTP801 DDIT4 Antibody (A02019) Images



Western blot analysis of RTP801 in human kidney tissue lysate with RTP801 antibody at (A) 0.5 and (B) 1 ug/mL.



Immunohistochemistry of RTP801 in mouse kidney tissue with RTP801 antibody at 5 ug/mL.



Immunofluorescence of RTP801 in mouse kidney tissue with RTP801 antibody at 20 ug/mL. Red: RTP801 Antibody (A02019) Blue: DAPI staining

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-RTP801 DDIT4 Antibody

For Research Use Only. Not for use in diagnostic procedures.