

## Anti-ANK3 Antibody

Catalog Number: A02066-1

### About ANK3

ANK3 is associated with neurodevelopment and neuronal function. It has been reported that ANK3 plays a key role in bipolar disorder. ANK3 is expressed in brain at a high level. There are several isoforms of ANK3 associated with different tissue expression and function. The immune region we selected can recognize 480 kDa, 204 kDa, 202 kDa and 111 kDa protein and 27980-1-AP detects 204 kDa isoform in SDS-PAGE. (PMID: 27217151, 28687526, 30297702, 28109561, 30046097)

### Overview

Product Name	Anti-ANK3 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-ANK3 Antibody catalog # A02066-1. Tested in WB, IHC, ICC/IF, ELISA applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IF, IHC, ICC, WB
Clonality	Polyclonal
Formulation	500 ug/ml antibody with PBS, 0.02% NaN <sub>3</sub> , 1 mg stabilizing protein and 50% glycerol *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	12 months from date of receipt at -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	Q12955

### Technical Details

Immunogen	E.coli-derived human ANK3 recombinant protein (Position: L4223-K4374).
Form	Liquid
Concentration	500 ug/ml
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 1:500-2000 Immunohistochemistry, 1:50-400 Immunocytochemistry/Immunofluorescence, 1:50-400 ELISA, 1:100-1000

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



### Anti-ANK3 Antibody

For Research Use Only. Not for use in diagnostic procedures.