

## Anti-Reelin RELN Antibody

Catalog Number: A02113

### Overview


|                      |  |
|----------------------|--|
| Product Name         | Anti-Reelin RELN Antibody  |
| Reactive Species     | Human, Rat   |
| Description          | Boster Bio Anti-Reelin RELN Antibody catalog # A02113. Tested in WB,IHC applications. This antibody reacts with Human,Rat.                 |
| Application          | IHC, WB  |
| Clonality            | Polyclonal   |
| Formulation          | Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2   |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host                 | Rabbit   |
| Uniprot ID           | P78509   |

### Technical Details


|                     |                                      |
|---------------------|--------------------------------------|
| Immunogen           | recombinant protein                  |
| Isotype             | IgG                                  |
| Form                | Liquid                               |
| Concentration       | 1 mg/ml                              |
| Purification        | ProA affinity purified               |
| Suggested Dilutions | WB: 1:500-1:1,000<br>IHC: 1:50-1:200 |

## Anti-Reelin RELN Antibody (A02113) Images

---



Immunohistochemical analysis of paraffin-embedded human liver tissue using anti-Reelin antibody. Counter stained with hematoxylin.



Immunohistochemical analysis of paraffin-embedded human brain tissue using anti-Reelin antibody. Counter stained with hematoxylin.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

---

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Reelin RELN Antibody

For Research Use Only. Not for use in diagnostic procedures.