

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Human POR DyLight® 550 conjugated Antibody

Catalog Number: A02166-Dyl550

About POR

POR is a membrane-boundenzyme required for electron transfer from NADPH to cytochrome P450 in the endoplasmic reticulum of theeukaryotic cell. The gene encodes an endoplasmic reticulum membrane oxidoreductase with an FAD-binding domain and a flavodoxin-like domain. The protein binds two cofactors, FAD and FMN, which allow it to donate electrons directly from NADPH to all microsomal P450 enzymes. Mutations in this gene have been associated with various diseases, including apparent combined P450C17 and P450C21 deficiency, amenorrhea and disordered steroidogenesis, congenital adrenal hyperplasia and Antley-Bixler syndrome.

Overview

Product Name	Anti-Human POR DyLight® 550 conjugated Antibody
Reactive Species	Human
Description	Boster Bio Anti-Human POR DyLight $\mbox{ B}$ 550 conjugated Antibody catalog # A02166-Dyl550. Tested in Flow Cytometry applications. This antibody reacts with Human.
Conjugate	DyLight®550
Application	Flow Cytometry
Clonality	Polyclonal
Formulation	Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na2HPO4, 0.02% NaN3.
Storage Instructions	At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light.
Host	Rabbit
Uniprot ID	P16435

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human POR , different from the related mouse and rat sequences by five amino acids.	
Predicted Reactive Species	Human	
Cross Reactivity	No cross-reactivity with other proteins.	
Isotype	Rabbit IgG	
Form	Liquid	
Concentration	0.5-1mg/ml, actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.	

BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566



888-466-3604 | support@bosterbio.com | www.bosterbio.com

Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Flow Cytometry, 1-3ug/1x10 ⁶ cells
---------------------	---



888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Human POR DyLight® 550 conjugated Antibody (A02166-Dyl550) Images



Boster Kit Box

Submit a product review to Biocompare.com



Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Human POR DyLight® 550 conjugated Antibody