

Anti-VAMP2 Antibody

Catalog Number: A02331-3


Overview

| | |
|----------------------|--|
| Product Name | Anti-VAMP2 Antibody |
| Reactive Species | Human, Mouse, Rat |
| Description | Boster Bio Anti-VAMP2 Antibody catalog # A02331-3. Tested in WB, IHC, ICC, IF applications. This antibody reacts with Human, Mouse, Rat. |
| Application | IF, IHC, ICC, WB |
| Clonality | Polyclonal |
| Formulation | 500 ug/ml antibody with PBS, 0.02% NaN ₃ , 1 mg stabilizing protein and 50% glycerol *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required. |
| Storage Instructions | 12 months from date of receipt at -20°C as supplied. 6 months at 2 to 8°C after reconstitution. Avoid repeated freezing and thawing. |
| Host | Rabbit |
| Uniprot ID | P63027 |

Technical Details

| | |
|---------------------|--|
| Immunogen | E.coli-derived human VAMP2 recombinant protein (Position: M1-Y113). |
| Form | Liquid |
| Concentration | 500 ug/ml |
| Purification | Immunogen affinity purified. |
| Suggested Dilutions | Western blot, 1:500-2000 Immunohistochemistry, 1:50-400 Immunocytochemistry/Immunofluorescence, 1:50-400 |

Anti-VAMP2 Antibody (A02331-3) Images



Western blot analysis of VAMP2 using anti-VAMP2 antibody (A02331-3). Electrophoresis was performed on a 12% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: rat brain tissue lysates, Lane 2: rat hippocampus tissue lysates, Lane 3: mouse brain tissue lysates, Lane 4: mouse hippocampus tissue lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-VAMP2 antigen affinity purified polyclonal antibody (A02331-3) at 1:1000 overnight at 4°C, then washed with TBS-0.1% Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for VAMP2 at approximately 19 kDa. The expected band size for VAMP2 is at 13 kDa.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-VAMP2 Antibody

For Research Use Only. Not for use in diagnostic procedures.