

Anti-ETK (K35) BMX Antibody

Catalog Number: A02537-1


Overview

Product Name	Anti-ETK (K35) BMX Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-ETK (K35) BMX Antibody catalog # A02537-1. Tested in IHC,IF applications. This antibody reacts with Human,Mouse,Rat.
Application	IF, IHC
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P51813


Technical Details

Immunogen	Synthetic peptide, corresponding to amino acids N-terminus of Human ETK.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	IHC: 1:50-1:200 IF: 1:50-1:200

Anti-ETK (K35) BMX Antibody (A02537-1) Images



Immunohistochemistry (IHC) analyzes of ETK (K35) pAb in paraffin-embedded human liver carcinoma tissue at 1:50. showing cytoplasmic and cell membrane staining. Negative control (the right) Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.



BSE536
Lot: C36831

Immunohistochemistry (IHC) analyzes of ETK (K35) pAb in paraffin-embedded human rectum carcinoma tissue at 1:50. showing cytoplasmic and cell membrane staining. Negative control (the right) Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-ETK (K35) BMX Antibody

For Research Use Only. Not for use in diagnostic procedures.