

## Anti-PDCD5 Antibody

Catalog Number: A02613

### About PDCD5

Programmed cell death 5 (PDCD5), a human apoptosis-related protein, is thought to play an early and universal role in apoptosis. PDCD5 is widely expressed and is upregulated in cells undergoing apoptosis, where it translocates rapidly from the cytoplasm to the nucleus. PDCD5 has a compact core structure of low flexibility with two mobile alpha-helices at N-terminal and a flexible unstructured C-terminal region. The charged residues are crucial for the ability of apoptosis-promoting and cell translocation of the protein. PDCD5 can facilitate apoptosis and enhance TAJ/TROY-induced paraptosis-like cell death. PDCD5 may play a dual role in the Tip60 pathway. It interacts with Tip60 and functions as a Tip60 co-activator to promote apoptosis. The nucleotide polymorphisms in the 5'-upstream region of PDCD5 affect promoter activity and the susceptibility of a Chinese population to develop chronic myelogenous leukemia and may represent a novel tumor suppressor gene influencing lung cancer.

### Overview

Product Name	Anti-PDCD5 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-PDCD5 Antibody (Catalog # A02613). Tested in ELISA, WB, ICC, IF applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IF, ICC, WB
Clonality	Polyclonal
Formulation	PDCD5 Antibody is supplied in PBS containing 0.02% sodium azide.
Storage Instructions	PDCD5 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. Avoid repeated freeze-thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Host	Rabbit
Uniprot ID	O14737


### Technical Details

Immunogen	PDCD5 antibody was raised against a 21 amino acid synthetic peptide from near the carboxy terminus of human PDCD5. The immunogen is located within the last 50 amino acids of PDCD5.
Predicted Reactive Species	Bovine
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL
Purification	PDCD5 Antibody is affinity chromatography purified via peptide column.

Suggested Dilutions

PDCD5 antibody can be used for detection of PDCD5 by Western blot at 1 ug/mL. Antibody can also be used for immunocytochemistry starting at 2 ug/mL. For immunofluorescence start at 10 ug/mL. Antibody validated: Western Blot in mouse samples; Immunocytochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.


## Anti-PDCD5 Antibody (A02613) Images



Western blot analysis of PDCD5 in EL4 cell lysate with PDCD5 antibody at 1ug/mL.



Immunocytochemistry of PDCD5 in Jurkat cells with PDCD5 antibody at 2 ug/mL.



Immunofluorescence of PDCD5 in Jurkat cells with PDCD5 antibody at 10 ug/mL.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-PDCD5 Antibody

For Research Use Only. Not for use in diagnostic procedures.