

## Anti-GSK3 alpha/GSK3A Antibody Picoband®

Catalog Number: A03152-2

### About GSK3A

Glycogen synthase kinase-3 alpha is an enzyme that in humans is encoded by the GSK3A gene. This gene encodes a multifunctional Ser/Thr protein kinase that is implicated in the control of several regulatory proteins including glycogen synthase, and transcription factors, such as JUN. It also plays a role in the WNT and PI3K signaling pathways, as well as regulates the production of beta-amyloid peptides associated with Alzheimer's disease.

### Overview


Product Name	Anti-GSK3 alpha/GSK3A Antibody Picoband®
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-GSK3 alpha/GSK3A Antibody Picoband® catalog # A03152-2. Tested in WB applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na <sub>2</sub> HPO <sub>4</sub> , 0.05mg NaN <sub>3</sub> .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P49840

### Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human GSK3 alpha, identical to the related mouse and rat sequences.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.

Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.1-0.5ug/ml

## Anti-GSK3 alpha/GSK3A Antibody Picoband® (A03152-2) Images



Western blot analysis of GSK3 alpha using anti-GSK3 alpha antibody (A03152-2). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions. Lane 1: rat brain tissue lysate, Lane 2: rat testis tissue lysate, Lane 3: mouse testis tissue lysate. After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-GSK3 alpha antigen affinity purified polyclonal antibody (Catalog # A03152-2) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for GSK3 alpha at approximately 51KD. The expected band size for GSK3 alpha is at 51KD.

### 1 Publications Citing This Product

1. PubMed ID: 29137317, Mcl-1 stabilization confers resistance to taxol in human gastric cancer

Visit [bosterbio.com/anti-gsk3-alpha-picoband-trade-antibody-a03152-2-boster.html](http://bosterbio.com/anti-gsk3-alpha-picoband-trade-antibody-a03152-2-boster.html) to see all 1 publications.

### Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-GSK3 alpha/GSK3A Antibody

For Research Use Only. Not for use in diagnostic procedures.