

Anti-CLASP2 Antibody Picoband® Fluoro647 Conjugated

Catalog Number: A03579-1-Fluoro647

About CLASP2

CLASP2 (CLIP-associating protein 2) is a brain specific protein belongs to CLASP family. CLASP1 and CLASP2 regulate microtubule plus-end dynamics in brine cortex. CLASP2 is required for the orientation of stabilized microtubules toward the leading edge, It may act at the cell cortex to enhance the frequency of rescue of depolymerizing microtubules by attaching their plus-ends to cortical platforms. Phosphorylation of CLASP2 by GSK3B may negatively regulate binding to microtubule lattices in lamella.

Overview

| | |
|----------------------|---|
| Product Name | Anti-CLASP2 Antibody Picoband® Fluoro647 Conjugated |
| Reactive Species | Human, Mouse, Rat |
| Application | Recommended applications are based on the parent unconjugated antibody (ELISA, Flow Cytometry, WB). Customers may select suitable applications according to their experimental needs. |
| Clonality | Polyclonal |
| Formulation | Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% Na ₃ . |
| Storage Instructions | At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light. |
| Host | Rabbit |
| Uniprot ID | O75122 |

Technical Details

| | |
|---------------------|---|
| Immunogen | E.coli-derived human CLASP2 recombinant protein (Position: A266-D1230). |
| Cross Reactivity | No cross-reactivity with other proteins. |
| Isotype | Rabbit IgG |
| Form | Liquid |
| Concentration | 0.5 mg/mL |
| Purification | Immunogen affinity purified. |
| Conjugate | Fluoro647 Excitation Wavelength: 650 nm Emission Wavelength: 665 nm |
| Suggested Dilutions | Optimal dilutions should be determined by end users. |

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-CLASP2 Antibody - Fluoro647

For Research Use Only. Not for use in diagnostic procedures.