

## Anti-Unc93b UNC93B1 Antibody

Catalog Number: A03864

### About UNC93B1

The endoplasmic reticulum (ER) protein Unc93b, a human homolog of the *C. elegans* Unc93 gene, was initially identified by a forward genetic screen using N-ethyl-N-nitrosourea where a histidine-to-arginine substitution in Unc93b caused defects in Toll-like receptor (TLR) 3, 7 and 9 signaling. Unlike Unc93a, another homolog of the *C. elegans* Unc93 gene whose function is unknown, Unc93b specifically interacts with TLR3, 7 and 9; the histidine-to-arginine point mutation used to identify Unc93b abolishes this interaction. Mice carrying this point mutation are highly susceptible to infection with a number of viruses, indicating that Unc93b plays an important role in innate immunity.

### Overview

Product Name	Anti-Unc93b UNC93B1 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Unc93b UNC93B1 Antibody (Catalog # A03864). Tested in ELISA, WB, IHC-P, IF applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IF, IHC-P, WB
Clonality	Polyclonal
Formulation	Unc93b Antibody is supplied in PBS containing 0.02% sodium azide.
Storage Instructions	Unc93b antibody can be stored at 4°C for three months and -20°C, stable for up to one year. Avoid repeated freeze-thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Host	Rabbit
Uniprot ID	Q9H1C4


### Technical Details

Immunogen	Unc93b antibody was raised against a 19 amino acid synthetic peptide from near the amino terminus of human Unc93b. The immunogen is located within amino acids 80 - 130 of Unc93b.
Predicted Reactive Species	Bovine
Cross Reactivity	Multiple isoforms of Unc93b are known to exist. This antibody will not cross-react with Unc93a.
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL
Purification	Unc93b Antibody is affinity chromatography purified via peptide column.


Suggested Dilutions

Unc93b antibody can be used for the detection of Unc93b by Western blot at 0.5 - 1 ug/mL. Antibody can also be used for immunohistochemistry starting at 2.5 ug/mL. For immunofluorescence start at 20 ug/mL.  
Antibody validated: Western Blot in human samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.

## Anti-Unc93b UNC93B1 Antibody (A03864) Images



Western blot analysis of Unc93b in human heart tissue lysate with Unc93b antibody at (A) 0.5 and (B) 1 ug/mL.



Immunofluorescence of Unc93b in Human Heart cells with Unc93b antibody at 20 ug/mL.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Unc93b UNC93B1 Antibody

For Research Use Only. Not for use in diagnostic procedures.