BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-AMPK Gamma 1/2/3 (K78) PRKAG1 Antibody

Catalog Number: A04467

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-AMPK Gamma 1/2/3 (K78) PRKAG1 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-AMPK Gamma 1/2/3 (K78) PRKAG1 Antibody catalog # A04467. Tested in IHC,IF applications. This antibody reacts with Human,Mouse,Rat.
Application	IF, IHC
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P54619/Q9UGJ0/Q9UGI9


Technical Details

Immunogen	Synthetic peptide, corresponding to amino acids 50-100 of Human AMPKgamma1.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	IHC: 1:50-1:200 IF: 1:50-1:200 Affinity purified Bach-2 antibody has been tested for use in ELISA, Immunoprecipitation, and western blot. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately 91-140 kDa in size corresponding to Bach2 protein by western blotting in the appropriate cell lysate or extract.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-AMPK Gamma 1/2/3 (K78) PRKAG1 Antibody (A04467) Images



Immunohistochemistry (IHC) analyzes of AMPKgamma1/2/3 (K78) pAb in paraffin-embedded human breast carcinoma tissue at 1:50,showing cytoplasm and nuclear staining.Negative control (the right)Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.

Anti-AMPK Gamma 1/2/3 (K78) PRKAG1 Antibody

For Research Use Only. Not for use in diagnostic procedures.