

Anti-Cyclin E2 (N387) CCNE2 Antibody

Catalog Number: A04536-1

About CCNE2

Cellular myosin that appears to play a role in cytokinesis, cell shape, and specialized functions such as secretion and capping By similarity.

Leal A., Gene 312:165-171(2003).

Bienvenut W.V., Submitted (NOV-2006) to UniProtKB.

Nagase T., Submitted (JUN-2003) to the EMBL/GenBank/DDBJ databases.

Overview

Product Name	Anti-Cyclin E2 (N387) CCNE2 Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-Cyclin E2 (N387) CCNE2 Antibody catalog # A04536-1. Tested in IHC,IF applications. This antibody reacts with Human,Mouse.
Application	IF, IHC
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O96020

Technical Details

Immunogen	Synthesized peptide derived from human CD15.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.



BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: IHC: 1:50-1:200 IF: 1:50-1:200	he
--	----



Anti-Cyclin E2 (N387) CCNE2 Antibody (A04536-1) Images




Figure 1. Immunohistochemistry validation of CCNE2 using Anti-Cyclin E2 (N387) CCNE2 Antibody (A04536-1).

Immunohistochemistry (IHC) analyzes of Cyclin E2 (N387) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

For more protocol information of IHC

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Cyclin E2 (N387) CCNE2 Antibody