BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-SKI2W SKIV2L Antibody

Catalog Number: A04982

About SKIV2L

SKI2W (SKIV2L, Helicase-like protein), a DEVH-box protein, is a component of the SKI complex which is involved in the regulation of translation and RNA turnover (1,2). SKI2W is a nucleolar and cytoplasmic protein that has a putative RNA helicase domain (2). The potential roles of Ski2W on the clearance of degraded nuclear and cytoplasmic RNA raised their possibilities as susceptibility genes of systemic lupus erythematosus (3,4).

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-SKI2W SKIV2L Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-SKI2W SKIV2L Antibody (Catalog # A04982). Tested in ELISA, WB, IHC-P, IF applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IF, IHC-P, WB
Clonality	Polyclonal
Formulation	SKI2W antibody is supplied in PBS containing ≤0.09% sodium azide.
Storage Instructions	SKI2W antibody can be stored at 4°C, stable for up to one year.
Host	Rabbit
Uniprot ID	Q15477

Technical Details


Immunogen	SKI2W antibody was raised against a 16 amino acid peptide near the amino terminus of human SKI2W. The immunogen is located within amino acids 60 - 110 of SKI2W.
Predicted Reactive Species	Mouse, Rat
Cross Reactivity	SKI2W antibody is human, mouse and rat reactive. At least two isoforms of SKI2W are known to exist; this antibody will detect both isoforms.
Isotype	IgG

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Form	Liquid
Concentration	1 mg/mL
Purification	SKI2W antibody is affinity chromatography purified via peptide column.
Suggested Dilutions	SKI2W antibody can be used for detection of SKI2W by Western blot at 1 - 2 ug/ml. Antibody can also be used for immunohistochemistry starting at 5 ug/mL. For immunofluorescence start at 20 ug/mL. Antibody validated: Western Blot in mouse samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-SKI2W SKIV2L Antibody (A04982) Images



Western blot analysis of SKI2W in mouse stomach tissue lysate with SKI2W antibody at 1 ug/ml.



Immunohistochemistry of SKI2W in human stomach tissue with SKI2W antibody at 5 ug/ml.



Immunofluorescence of SKI2W in human stomach tissue with SKI2W antibody at 20 ug/ml.

Anti-SKI2W SKIV2L Antibody

For Research Use Only. Not for use in diagnostic procedures.