

Anti-FEZ1 Antibody Picoband®

Catalog Number: A04986-3

About FEZ1

This gene is an ortholog of the *C. elegans unc-76* gene, which is necessary for normal axonal bundling and elongation within axon bundles. Expression of this gene in *C. elegans unc-76* mutants can restore to the mutants partial locomotion and axonal fasciculation, suggesting that it also functions in axonal outgrowth. The N-terminal half of the gene product is highly acidic. Alternatively spliced transcript variants encoding different isoforms of this protein have been described.


Overview

Product Name	Anti-FEZ1 Antibody Picoband®
Reactive Species	Mouse, Rat
Description	Boster Bio Anti-FEZ1 Antibody Picoband® catalog # A04986-3. Tested in WB applications. This antibody reacts with Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ .
Storage Instructions	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	Q99689

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human FEZ1. Human FEZ1 shares 100% amino acid (aa) sequence identity with both mouse and rat FEZ1.
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.25-0.5 ug/ml, Mouse, Rat

Anti-FEZ1 Antibody Picoband® (A04986-3) Images



Western blot analysis of FEZ1 using anti-FEZ1 antibody (A04986-3). Electrophoresis was performed on a 10% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: rat brain tissue lysates, Lane 2: mouse brain tissue lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-FEZ1 antigen affinity purified polyclonal antibody (A04986-3) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1% Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for FEZ1 at approximately 65 kDa. The expected band size for FEZ1 is at 45 kDa.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-FEZ1 Antibody

For Research Use Only. Not for use in diagnostic procedures.