

Anti-Sodium/hydrogen exchanger 6 SLC9A6 Antibody

Catalog Number: A05023

About SLC9A6

Binding to cells via a high affinity receptor, laminin is thought to mediate the attachment, migration and organization of cells into tissues during embryonic development by interacting with other extracellular matrix components.

Iivanainen A., FEBS Lett. 365:183-188(1995).

Richards A.J., Eur. J. Biochem. 238:813-821(1996).

Mungall A.J., Nature 425:805-811(2003).

Overview

Product Name	Anti-Sodium/hydrogen exchanger 6 SLC9A6 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Sodium/hydrogen exchanger 6 SLC9A6 Antibody catalog # A05023. Tested in WB applications. This antibody reacts with Human,Mouse,Rat.
Application	WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q92581

Technical Details

Immunogen	Synthesized peptide derived from human PLAP protein.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Suggested Dilutions

Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.

If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:

Boster Bio's internal QC testing used:

WB: 1:500-1:1000

Anti-Sodium/hydrogen exchanger 6 SLC9A6 Antibody (A05023) Images




Figure 1. Western blotting validation for Anti-Sodium/hydrogen exchanger 6 SLC9A6 Antibody A05023

Western blot (WB) analysis of SLC9A6 polyclonal antibody at 1:500 dilution

Lane1:HEK293T cell lysate

Lane2:Raw264.7 cell lysate

Lane3:PC12 cell lysate

Electrophoresis was performed on a SDS-PAGE gel. To determine SDS-PAGE gel concentration

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Sodium/hydrogen exchanger 6 SLC9A6 Antibody