

Anti-NAGK Antibody Picoband® APC Conjugated

Catalog Number: A05057-1-APC

About NAGK

This gene encodes a member of the N-acetylhexosamine kinase family. The encoded protein catalyzes the conversion of N-acetyl-D-glucosamine to N-acetyl-D-glucosamine 6-phosphate, and is the major mammalian enzyme which recovers amino sugars.

Overview

| | |
|----------------------|--|
| Product Name | Anti-NAGK Antibody Picoband® APC Conjugated |
| Reactive Species | Human, Mouse |
| Application | Flow Cytometry |
| Clonality | Polyclonal |
| Formulation | Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% NaN ₃ . |
| Storage Instructions | At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light. |
| Host | Rabbit |
| Uniprot ID | Q9UJ70 |

Technical Details

| | |
|---------------------|---|
| Immunogen | E.coli-derived human NAGK recombinant protein (Position: R14-K261). Human NAGK shares r91.9% amino acid (aa) sequence identity with mouse NAGK. |
| Form | Liquid |
| Concentration | 0.5 mg/mL |
| Purification | Immunogen affinity purified. |
| Conjugate | APC Excitation Wavelength: 633-647 nm Emission Wavelength: 660 nm |
| Suggested Dilutions | Flow Cytometry, Optimal dilutions should be determined by end users. |

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your



reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-NAGK Antibody - APC

For Research Use Only. Not for use in diagnostic procedures.