BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-MAGE-C2 Antibody

Catalog Number: A05335

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-MAGE-C2 Antibody
Reactive Species	Human
Description	Boster Bio Anti-MAGE-C2 Antibody catalog # A05335. Tested in WB, ELISA applications. This antibody reacts with Human.
Application	ELISA, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q9UBF1

Technical Details


Immunogen	Synthesized peptide derived from MAGE-C2 . at AA range: 160-240
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	Immunogen affinity purified

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Suggested Dilutions	WB 1:500-1:2000 ELISA 1:5000

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-MAGE-C2 Antibody (A05335) Images



Western blot analysis of MAGEC2 Antibody. The lane on the right is blocked with the MAGEC2 peptide.



Western Blot analysis of 293 cells using MAGE-C2 Polyclonal Antibody diluted at 1:1000



Western blot analysis of mouse-brain HELA KB SH-SY5Y 293T 3T3 lysis using MAGE-C2 antibody. Antibody was diluted at 1:1000

1 Publications Citing This Product

1. PubMed ID: 24687377, Yang F, Zhou X, Miao X, Zhang T, Hang X, Tie R, Liu N, Tian F, Wang F, Yuan J. Breast Cancer Res Treat. 2014 May;145(1):23-32. Doi: 10.1007/S10549-014-2915-9. Epub 2014 Apr 1. Magec2, An Epithelial-Mesenchymal Transition Inducer, Is Associated Wit...

Visit bosterbio.com/anti-mage-c2-antibody-a05335-boster.html to see all 1 publications.

For Research Use Only. Not for use in diagnostic procedures.