

Anti-CAD Dffb Antibody

Catalog Number: A05374


Overview

Product Name	Anti-CAD Dffb Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-CAD Dffb Antibody (Catalog# A05374). Tested in IHC, ICC, IF, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC, ICC, WB
Clonality	Polyclonal
Formulation	PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short-term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O76075


Technical Details

Immunogen	A peptide derived from human CAD. Immunogen sequence location: 289 - 338
Isotype	Rabbit IgG
Form	Liquid
Purification	The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen.
Suggested Dilutions	IHC 1:50-200 WB 1:500-2000. ICC/IF 1:50-200


Anti-CAD Dffb Antibody (A05374) Images



Immunohistochemical analysis of paraffin-embedded human brain tumor. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).



Western blot analysis of lysates from KB cells, primary antibody was diluted at 1:1000, 4°over night



Western blot analysis of lysates from DU145 cells, primary antibody was diluted at 1:1000, 4°over night

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-CAD Dffb Antibody

For Research Use Only. Not for use in diagnostic procedures.