

Anti-TAF4 Antibody Picoband® Fluoro647 Conjugated

Catalog Number: A05511-2-Fluoro647

About TAF4

Transcription initiation factor TFIID subunit 4 is a protein that in humans is encoded by the TAF4 gene. Initiation of transcription by RNA polymerase II requires the activities of more than 70 polypeptides. The protein that coordinates these activities is transcription factor IID (TFIID), which binds to the core promoter to position the polymerase properly, serves as the scaffold for assembly of the remainder of the transcription complex, and acts as a channel for regulatory signals. TFIID is composed of the TATA-binding protein (TBP) and a group of evolutionarily conserved proteins known as TBP-associated factors or TAFs. TAFs may participate in basal transcription, serve as coactivators, function in promoter recognition or modify general transcription factors (GTFs) to facilitate complex assembly and transcription initiation. This gene encodes one of the larger subunits of TFIID that has been shown to potentiate transcriptional activation by retinoic acid, thyroid hormone and vitamin D3 receptors. In addition, this subunit interacts with the transcription factor CREB, which has a glutamine-rich activation domain, and binds to other proteins containing glutamine-rich regions. Aberrant binding to this subunit by proteins with expanded polyglutamine regions has been suggested as one of the pathogenetic mechanisms underlying a group of neurodegenerative disorders referred to as polyglutamine diseases.

Overview

| | |
|----------------------|--|
| Product Name | Anti-TAF4 Antibody Picoband® Fluoro647 Conjugated |
| Reactive Species | Human, Mouse, Rat |
| Application | Flow Cytometry |
| Clonality | Polyclonal |
| Formulation | Each vial contains 50% glycerol, 0.9% NaCl, 0.2% Na ₂ HPO ₄ , 0.02% NaN ₃ . |
| Storage Instructions | At -20°C for one year from date of receipt. Avoid repeated freezing and thawing. Protect from light. |
| Host | Rabbit |
| Uniprot ID | O00268 |

Technical Details

| | |
|------------------|---|
| Immunogen | E.coli-derived human TAF4 recombinant protein (Position: D6-K1085). |
| Cross Reactivity | No cross-reactivity with other proteins. |
| Isotype | Rabbit IgG |
| Form | Liquid |
| Concentration | 0.5 mg/mL |
| Purification | Immunogen affinity purified. |

| | |
|---------------------|---|
| Conjugate | Fluoro647 Excitation Wavelength: 650 nm Emission Wavelength: 665 nm |
| Suggested Dilutions | Flow Cytometry, Optimal dilutions should be determined by end users. |

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-TAF4 Antibody - Fluoro647

For Research Use Only. Not for use in diagnostic procedures.