

Anti-Homeobox protein SIX6 Antibody Picoband™

Catalog Number: A06502-1

About SIX6

The protein encoded by this gene is a homeobox protein that is similar to the Drosophila 'sine oculis' gene product. This gene is found in a cluster of related genes on chromosome 14 and is thought to be involved in eye development. Defects in this gene are a cause of isolated microphthalmia with cataract type 2 (MCOPCT2).

Overview

Product Name	Anti-Homeobox protein SIX6 Antibody Picoband™
Reactive Species	Human
Description	Boster Bio Anti-Homeobox protein SIX6 Antibody Picoband™ catalog # A06502-1. Tested in WB applications. This antibody reacts with Human.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O95475

Technical Details

Immunogen	E. coli-derived human SIX6 recombinant protein (Position: A188-I246). Human SIX6 shares 91.5% amino acid (aa) sequence identity with mouse SIX6.
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this



BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

	kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human
--	--



Anti-Homeobox protein SIX6 Antibody Picoband™ (A06502-1) Images



Figure 1. Western blot analysis of SIX6 using anti-SIX6 antibody (A06502-1).

Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.

Lane 1: human Hela whole cell lysate.

After Electrophoresis, proteins were transferred to a
Nitrocellulose membrane at 150mA for 50-90 minutes.

Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5
hour at RT. The membrane was incubated with rabbit antiSIX6 antigen affinity purified polyclonal antibody (Catalog #
A06502-1) at 0.5 ug/mL overnight at 4°C, then washed with
TBS-0.1%Tween 3 times with 5 minutes each and probed
with a goat anti-rabbit IgG-HRP secondary antibody at a
dilution of 1:10000 for 1.5 hour at RT. The signal is
developed using an Enhanced Chemiluminescent detection
(ECL) kit (Catalog # EK1002) with Tanon 5200 system. A
specific band was detected for SIX6 at approximately 28KD.
The expected band size for SIX6 is at 28KD.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Homeobox protein SIX6 Antibody ™