

Anti-Nanos homolog 3 Nanos3 Antibody

Catalog Number: A07449

About NANOS3

Nanos is a zinc-finger containing, RNA-binding protein that has been implicated in germ cell development in both invertebrates and vertebrates. In *Drosophila*, Nanos represses apoptosis during development to ensure proper germ-line development. Unlike Nanos1 whose expression in mice is dispensable, the Nanos2 and Nanos3 proteins are required for germ cell development. Nanos2-null primordial germ cells (PGCs) die only in the male gonads and show no defects in females, while Nanos3-null PGCs are lost during the migration stage regardless of sex. Nanos2 and Nanos3 have distinct expression patterns during embryo development, suggesting that these two proteins do not have redundant functions. However, expression of Nanos2 can at least partially replace Nanos3 function in a Nanos3-null background. Nanos3 expression can not rescue Nanos2-null defects.

Overview


| | |
|----------------------|---|
| Product Name | Anti-Nanos homolog 3 Nanos3 Antibody |
| Reactive Species | Human, Mouse, Rat |
| Description | Boster Bio Anti-Nanos homolog 3 Nanos3 Antibody (Catalog # A07449). Tested in ELISA, WB, IHC-P, IF applications. This antibody reacts with Human, Mouse, Rat. |
| Application | ELISA, IF, IHC-P, WB |
| Clonality | Polyclonal |
| Formulation | Nanos3 Antibody is supplied in PBS containing 0.02% sodium azide. |
| Storage Instructions | Nanos3 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. Avoid repeated freeze-thaw cycles. Antibodies should not be exposed to prolonged high temperatures. |
| Host | Rabbit |
| Uniprot ID | P60323 |

Technical Details


| | |
|----------------------------|--|
| Immunogen | Nanos3 antibody was raised against a 16 amino acid synthetic peptide near the carboxy terminus of the human Nanos3. The immunogen is located within the last 50 amino acids of Nanos3. |
| Predicted Reactive Species | Mouse |
| Cross Reactivity | This Nanos3 antibody will not cross-react with either Nanos 1 or Nanos2. |
| Isotype | IgG |
| Form | Liquid |
| Concentration | 1 mg/mL |

| | |
|---------------------|---|
| Purification | Nanos3 Antibody is affinity chromatography purified via peptide column. |
| Suggested Dilutions | Nanos3 antibody can be used for detection of Nanos3 by Western blot at 2 ug/mL. Antibody can also be used for immunohistochemistry starting at 2.5 ug/mL. For immunofluorescence start at 20 ug/mL. Antibody validated: Western Blot in human samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher. |


Anti-Nanos homolog 3 Nanos3 Antibody (A07449) Images



Western blot analysis of Nanos3 in human brain tissue lysate with Nanos3 antibody at 2 ug/mL.



Immunohistochemistry of Nanos3 in human brain tissue with Nanos3 antibody at 2.5 ug/mL.



Immunofluorescence of Nanos3 in Human Brain tissue with Nanos3 antibody at 20 ug/mL.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Nanos homolog 3 Nanos3 Antibody

For Research Use Only. Not for use in diagnostic procedures.