

# **Anti-Cyclin B3 CCNB3 Antibody**

Catalog Number: A07572

#### **About CCNB3**

Cell surface proteoglycan that bears heparan sulfate By similarity.

Veugelers M., Genomics 40:24-30(1997). Saunders S., Dev. Biol. 190:78-93(1997). Dunham A., Nature 428:522-528(2004).<

#### Overview

Product Name	Anti-Cyclin B3 CCNB3 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Cyclin B3 CCNB3 Antibody catalog # A07572. Tested in WB,ICC/IF applications. This antibody reacts with Human,Mouse,Rat.
Application	IF, ICC, WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q8WWL7

### **Technical Details**

Immunogen	Synthesized peptide derived from human NAV3 protein.
Predicted Reactive Species	Chimpanzee, Drosophila, Macaque
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.



# BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

	If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  Some PubMed article(s) citing the expression level of this target are as follows:  Boster Bio's internal QC testing used:  WB: 1:500-1:1000  ICC/IF: 1:50-1:200
--	---



## Anti-Cyclin B3 CCNB3 Antibody (A07572) Images




Figure 1. Western blotting validation for Anti-Cyclin B3 CCNB3 Antibody A07572

Western blot (WB) analysis of Cyclin B3 polyclonal antibody at 1:500 dilution
Lane1:A549 whole cell lysate
Lane2:Raw264.7 whole cell lysate
Lane3:PC12 whole cell lysate
Electrophoresis was performed on a SDS-PAGE gel. To determine SDS-PAGE gel concentration

#### Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Cyclin B3 CCNB3 Antibody