

Anti-KCY CMPK1 Antibody

Catalog Number: A07962

About CMPK1

Catalyzes the phosphorylation of pyrimidine nucleoside monophosphates at the expense of ATP. Plays an important role in de novo pyrimidine nucleotide biosynthesis. Has preference for UMP and CMP as phosphate acceptors. Also displays broad nucleoside diphosphate kinase activity.

Van Rompay A.R., Mol. Pharmacol. 56:562-569(1999). Pearman A.T., Life Sci. 69:2361-2370(2001). Liou J.-Y., Cancer Res. 62:1624-1631(2002).

Overview

| Product Name | Anti-KCY CMPK1 Antibody |
|----------------------|--|
| Reactive Species | Human, Mouse, Rat |
| Description | Boster Bio Anti-KCY CMPK1 Antibody (Catalog # A07962). Tested in WB applications. This antibody reacts with Human, Mouse, Rat. |
| Application | WB |
| Clonality | Polyclonal |
| Formulation | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | P30085 |

Technical Details

| Immunogen | Synthesized peptide derived from internal of human KCY. |
|----------------------------|--|
| Predicted Reactive Species | Chimpanzee, Drosophila, Macaque |
| Isotype | IgG |
| Form | Liquid |
| Concentration | 1 mg/ml |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen. |




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000 |
|---------------------|--|
|---------------------|--|



Anti-KCY CMPK1 Antibody (A07962) Images



Western blot analysis of extracts from HeLa cells, using KCY antibody A07962.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-KCY CMPK1 Antibody