BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Treslin TICRR Antibody

Catalog Number: A08002

About TICRR

TopBP1-interacting checkpoint and replication regulator, Treslin,chromosome 15 open reading frame 42, C15ORF42

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-Treslin TICRR Antibody
Reactive Species	Human
Description	Boster Bio Anti-Treslin TICRR Antibody (Catalog # A08002). Tested in ELISA, WB, IHC-P, IF applications. This antibody reacts with Human.
Application	ELISA, IF, IHC-P, WB
Clonality	Polyclonal
Formulation	TICRR antibody is supplied in PBS containing ≤0.09% sodium azide.
Storage Instructions	TICRR antibody can be stored at 4°C, stable for up to one year.
Host	Rabbit
Uniprot ID	Q7Z2Z1

Technical Details


Immunogen	TICRR antibody was raised against a 19 amino acid peptide near the carboxy terminus of human TICRR. The immunogen is located within amino acids 1840 - 1890 of TICRR.
Predicted Reactive Species	Mouse
Cross Reactivity	TICRR antibody is human specific. At least two isoforms of TICRR are known to exist.
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Purification	TICRR antibody is affinity chromatography purified via peptide column.
Suggested Dilutions	TICRR antibody can be used for detection of TICRR by Western blot at 1 - 2 ug/ml. Antibody can also be used for Immunohistochemistry at 5 ug/mL. For Immunoflorescence start at 20 ug/mL. Antibody validated: Western Blot in human samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Anti-Treslin TICRR Antibody (A08002) Images



Western blot analysis of TICRR in human small intestine tissue lysate with TICRR antibody at 1 ug/ml.



Immunohistochemistry of TICRR in human small intestine tissue with TICRR antibody at 5 ug/mL.



Immunofluorescence of TICRR in human small intestine tissue with TICRR antibody at 20 ug/mL.

Anti-Treslin TICRR Antibody

For Research Use Only. Not for use in diagnostic procedures.