

Anti-GRAH GZMH Antibody

Catalog Number: A08559

About GZMH

Cytotoxic chymotrypsin-like serine protease with preference for bulky and aromatic residues at the P1 position and acidic residues at the P3' and P4' sites. Probably necessary for target cell lysis in cell-mediated immune responses. Participates in the antiviral response via direct cleavage of several proteins essential for viral replication.

Meier M., Biochemistry 29:4042-4049(1990). Haddad P., Int. Immunol. 3:57-66(1991). Klein J.L., Tissue Antigens 35:220-228(1990).

Overview

Product Name	Anti-GRAH GZMH Antibody
Reactive Species	Human
Description	Boster Bio Anti-GRAH GZMH Antibody (Catalog # A08559). Tested in WB, IF applications. This antibody reacts with Human.
Application	IF, WB
Clonality	Polyclonal
Formulation	Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P20718

Technical Details

Immunogen	Synthesized peptide derived from internal of human GRAH.
anogen	Synthesized peptide derived if off internal of name in a little in a
Predicted Reactive Species	Chimpanzee, Drosophila, Macaque
Isotype	lgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


	specific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000 Immunofluorescence: 1:100~1:500



Anti-GRAH GZMH Antibody (A08559) Images



Western blot analysis of extracts from K562 cells, using GRAH antibody A08559.



Immunofluorescence analysis of A549 cells, using GRAH antibody A08559.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-GRAH GZMH Antibody