

888-466-3604 | support@bosterbio.com | www.bosterbio.com

## Anti-CLK4 Antibody

Catalog Number: A09141

### About CLK4

Dual specificity kinase acting on both serine/threonine and tyrosine-containing substrates. Phosphorylates serine- and arginine-rich (SR) proteins of the spliceosomal complex and may be a constituent of a network of regulatory mechanisms that enable SR proteins to control RNA splicing. Phosphorylates SRSF1 and SRSF3. Required for the regulation of alternative splicing of MAPT/TAU. Regulates the alternative splicing of tissue factor (F3) pre-mRNA in endothelial cells.

Schultz J., Genomics 71:368-370(2001). McNally T., Protein Sci. 12:1562-1566(2003). Kantham L., Biochem. Biophys. Res. Commun. 304:125-129(2003).

#### Overview

Product Name	Anti-CLK4 Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-CLK4 Antibody (Catalog # A09141). Tested in WB applications. This antibody reacts with Human, Mouse.
Application	WB
Clonality	Polyclonal
Formulation	Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q9HAZ1

### **Technical Details**

Immunogen	Synthesized peptide derived from internal of human CLK4.
Predicted Reactive Species	Chimpanzee, Drosophila, Macaque
Isotype	lgG
Form	Liquid
Concentration	1 mg/ml



# BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope- specific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000



# BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

### Anti-CLK4 Antibody (A09141) Images



Western blot analysis of extracts from HT-29 cells, using CLK4 antibody A09141.

#### Submit a product review to Biocompare.com



Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-CLK4 Antibody