

## Anti-Active regulator of SIRT1 RPS19BP1 Antibody

Catalog Number: A11612


### Overview

Product Name	Anti-Active regulator of SIRT1 RPS19BP1 Antibody
Reactive Species	Human
Description	Boster Bio Anti-Active regulator of SIRT1 RPS19BP1 Antibody catalog # A11612. Tested in WB,IP applications. This antibody reacts with Human.
Application	IP, WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q86WX3


### Technical Details

Immunogen	A synthetic peptide corresponding to residues in Human RPS19BP1.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	WB: 1:500-1:1000 IP: 1:50-1:200

## Anti-Active regulator of SIRT1 RPS19BP1 Antibody (A11612) Images



Western blot (WB) analysis of RPS19BP1 pAb at 1:500 dilution Lane1:HCT116 whole cell lysate(40ug) Lane2:H1792 whole cell lysate(40ug) Lane3:EC9706 whole cell lysate(40ug) Lane4:A549 whole cell lysate(40ug)



Immunoprecipitation of HepG2 cell lysate using RPS19BP1 polyclonal antibody (Sepharose Bead Conjugate) #BD0048(lane 2 and lane 3) and Nonspecific IgG Control (Sepharose Bead Conjugate) #BD0048 (lane 4 and lane 5). Lane 1 is 30% input.The western blot was probed using RPS19BP1. "↑" [supernatant]; "↓" (deposition)

IP:

-	+	+	-	-	RPS19BP1(B561108)
-	-	-	+	+	IgG(Rabbit)
-	+	+	+	+	ProteinG-Agarose
	↑	↓	↓	↑	

### Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Active regulator of SIRT1 RPS19BP1 Antibody

For Research Use Only. Not for use in diagnostic procedures.