

Anti-DPH2 Antibody

Catalog Number: A12485-1

About DPH2

Required for the first step in the synthesis of diphthamide, a post-translational modification of histidine which occurs in translation elongation factor 2 (EEF2). When overexpressed, suppresses colony formation ability and growth rate of ovarian cancer cells. Mutants of the DPH1, DPH2, and DPH5 (611075) genes, involved in diphthamide biosynthesis, were identified as resistant to both anthrax toxin and diphtheria toxin. This antibody works well in WB, IP, IHC and IF application.

Overview

Product Name	Anti-DPH2 Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-DPH2 Antibody catalog # A12485-1. Tested in WB, IHC, ICC, IF, IP, ELISA applications. This antibody reacts with Human, Mouse.
Application	ELISA, IP, IF, IHC, ICC, WB
Clonality	Polyclonal
Formulation	500 ug/ml antibody with PBS, 0.02% NaN ₃ , 1 mg stabilizing protein and 50% glycerol This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	12 months from date of receipt at -20°C as supplied. 6 months 2 to 8°C after reconstitution. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	Q9BQC3

Technical Details

Immunogen	E.coli-derived human DPH2 recombinant protein (Position: E192-G487).
Form	Liquid
Concentration	500 ug/ml
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 1:500-2000 Immunohistochemistry, 1:50-400 Immunocytochemistry/Immunofluorescence, 1:50-400 ImmunoPrecipitation, 1:250-300

ELISA, 1:100-1000

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-DPH2 Antibody

For Research Use Only. Not for use in diagnostic procedures.