

## Anti-GPR75 Antibody

Catalog Number: A13384


### Overview

Product Name	Anti-GPR75 Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-GPR75 Antibody catalog # A13384. Tested in WB, IF, ELISA applications. This antibody reacts with Human, Mouse.
Application	ELISA, IF, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O95800


### Technical Details

Immunogen	The antiserum was produced against synthesized peptide derived from human GPR75. AA range:381-430
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Suggested Dilutions	WB 1:500-1:2000 IF 1:200-1:1000 ELISA 1:5000


## Anti-GPR75 Antibody (A13384) Images



Immunofluorescence analysis of LOVO cells, using GPR75 Antibody. The picture on the right is blocked with the synthesized peptide.



Western Blot analysis of HT-29 cells using GPR75 Polyclonal Antibody



Western blot analysis of lysates from HT-29 and K562 cells, using GPR75 Antibody. The lane on the right is blocked with the synthesized peptide.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-GPR75 Antibody

For Research Use Only. Not for use in diagnostic procedures.