BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Tubulin beta-8 chain TUBB8 Antibody

Catalog Number: A13591

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview


Product Name	Anti-Tubulin beta-8 chain TUBB8 Antibody
Reactive Species	Human
Description	Boster Bio Anti-Tubulin beta-8 chain TUBB8 Antibody catalog # A13591. Tested in WB,ICC/IF applications. This antibody reacts with Human.
Application	IF, ICC, WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q3ZCM7

Technical Details


Immunogen	A synthetic peptide of human TUBB8TUBB8
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	WB: 1:500-1:2000 ICC/IF: 1:50-1:200

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Tubulin beta-8 chain TUBB8 Antibody (A13591) Images



Western blot analysis of extracts of various cell lines, using TUBB8 antibody at 1:1000 dilution.Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.Lysates/proteins: 25ug per lane.Blocking buffer: 3% nonfat dry milk in TBST.Detection: ECL Basic Kit .Exposure time: 1s.



Immunofluorescence analysis of U2OS cells using TUBB8 antibody at dilution of 1:100. Blue: DAPI for nuclear staining.

Anti-Tubulin beta-8 chain TUBB8 Antibody

For Research Use Only. Not for use in diagnostic procedures.