

Anti-Olfactory receptor 10G7 Antibody

Catalog Number: A17758

Submit a product review to Biocompare.com

[Submit a review of this product](#) to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Overview


Product Name	Anti-Olfactory receptor 10G7 Antibody
Reactive Species	Human
Description	Boster Bio Anti-Olfactory receptor 10G7 Antibody catalog # A17758. Tested in WB, IF, ELISA applications. This antibody reacts with Human.
Application	ELISA, IF, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% stabilizing protein and 0.02% sodium azide. This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q8NGN6

Technical Details


Immunogen	The antiserum was produced against synthesized peptide derived from human OR10G7. AA range:234-283
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	Immunogen affinity purified
Suggested Dilutions	WB 1:500-1:2000

	IF 1:200-1:1000 ELISA 1:10000
--	----------------------------------


Anti-Olfactory receptor 10G7 Antibody (A17758) Images



Western Blot analysis of various cells using Olfactory receptor 10G7 Polyclonal Antibody



Western blot analysis of lysates from HepG2 cells, using OR10G7 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunofluorescence analysis of A549 cells, using OR10G7 Antibody. The picture on the right is blocked with the synthesized peptide.

Anti-Olfactory receptor 10G7 Antibody

For Research Use Only. Not for use in diagnostic procedures.