BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PLAC2 TINCR Antibody

Catalog Number: A33935

About TINCR

PLAC2 (placenta-specific protein 2) is a 151 amino acid protein that is encoded by a gene located on human chromosome 19p13. Based on its amino acid sequence, PLAC2 is predicted to be a multi-pass membrane protein. There are no reported studies or functions reported for this protein.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-PLAC2 TINCR Antibody
Reactive Species	Human
Description	Boster Bio Anti-PLAC2 TINCR Antibody (Catalog # A33935). Tested in ELISA, WB, ICC, IF applications. This antibody reacts with Human.
Application	ELISA, IF, ICC, WB
Clonality	Polyclonal
Formulation	PLAC2 Antibody is supplied in PBS containing ≤0.09% sodium azide.
Storage Instructions	PLAC2 antibody can be stored at 4°C, stable for up to one year. Avoid repeated freeze-thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Host	Rabbit
Uniprot ID	Q9NPR7

Technical Details


Immunogen	PLAC2 antibody was raised against a 17 amino acid synthetic peptide near the center of human PLAC2. The immunogen is located within amino acids 60 - 110 of PLAC2.
Predicted Reactive Species	Human
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com


Purification	PLAC2 Antibody is affinity chromatography purified via peptide column.
Suggested Dilutions	PLAC2 antibody can be used for detection of PLAC2 by Western blot at 1 - 2 ug/mL. Antibody can also be used for immunocytochemistry starting at 10 ug/mL. For immunofluorescence start at 20 ug/mL. Antibody validated: Western Blot in human samples; Immunocytochemistry in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-PLAC2 TINCR Antibody (A33935) Images



Western blot analysis of PLAC2 in HeLa cell lysate with PLAC2 antibody at 1 ug/mL.



Immunocytochemistry of PLAC2 in HeLa cells with PLAC2 antibody at 10 ug/mL.



Immunofluorescence of PLAC2 in HeLa cells with PLAC2 antibody at 20 ug/mL.

Anti-PLAC2 TINCR Antibody

For Research Use Only. Not for use in diagnostic procedures.