

Anti-Zebrafish PAX6(A+B) Antibody Picoband®

Catalog Number: AZP26630

About PAX6(A+B)

Enables DNA-binding transcription factor activity, RNA polymerase II-specific and sequence-specific DNA binding activity. Involved in positive regulation of cell population proliferation; retinal cone cell differentiation; and retinal rod cell differentiation. Acts upstream of or within several processes, including brain development; neural crest cell migration; and positive regulation of transcription by RNA polymerase II. Located in nucleus. Is expressed in several structures, including immature eye; nervous system; neural keel; neural plate; and neural rod. Human ortholog(s) of this gene implicated in bilateral optic nerve hypoplasia; eye disease (multiple); glucose intolerance; and paranoid schizophrenia. Orthologous to human PAX6 (paired box 6).


Overview

Product Name	Anti-Zebrafish PAX6(A+B) Antibody Picoband®
Reactive Species	Zebrafish
Description	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml. Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml. Immunogen affinity purified. Enables DNA-binding transcription factor activity, RNA polymerase II-specific and sequence-specific DNA binding activity. Involved in positive regulation of cell population proliferation; retinal cone cell differentiation; and retinal rod cell differentiation. Acts upstream of or within several processes, including brain development; neural crest cell migration; and positive regulation of transcription by RNA polymerase II. Located in nucleus. Is expressed in several structures, including immature eye; nervous system; neural keel; neural plate; and neural rod. Human ortholog(s) of this gene implicated in bilateral optic nerve hypoplasia; eye disease (multiple); glucose intolerance; and paranoid schizophrenia. Orthologous to human PAX6 (paired box 6). E.coli-derived Zebrafish PAX6(A+B) recombinant protein (Position: M1-M401) anti-zebrafish-pax6-a-b-antibody-azp26630-boster Anti-Zebrafish PAX6(A+B) Antibody Picoband® Boster Bio Anti-Zebrafish PAX6(A+B) Antibody Picoband® catalog # AZP26630. Tested in WB, IF applications. This antibody reacts with Zebrafish. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	IF, WB
Clonality	Polyclonal
Formulation	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ .
Storage Instructions	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	P26630


Technical Details

Immunogen	E.coli-derived Zebrafish PAX6(A+B) recombinant protein (Position: M1-M401)
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.25-0.5 ug/ml, Zebrafish Immunofluorescence, 2 ug/ml, Zebrafish

Anti-Zebrafish PAX6(A+B) Antibody Picoband® (AZP26630) Images



Western blot analysis of PAX6(A+B) using anti-PAX6(A+B) antibody (AZP26630). Electrophoresis was performed on a 10% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: zebrafish embryo tissue lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-PAX6(A+B) antigen affinity purified polyclonal antibody (AZP26630) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1% Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for PAX6(A+B) at approximately 48 kDa. The expected band size for PAX6(A+B) is at 48 kDa.



IF analysis of PAX6(A+B) using anti-PAX6(A+B) antibody (AZP26630). PAX6(A+B) was detected in a paraffin-embedded section of zebrafish embryo tissue. Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution). The tissue section was blocked with 10% goat serum. The tissue section was then incubated with 5 ug/mL rabbit anti-PAX6(A+B) Antibody (AZP26630) overnight at 4°C. DyLight®488 Conjugated Goat Anti-Rabbit IgG (BA1127) was used as secondary antibody at 1:500 dilution and incubated for 30 minutes at 37°C. The section was counterstained with DAPI. Visualize using a fluorescence microscope and filter sets appropriate for the label used.

Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Zebrafish PAX6(A+B) Antibody

For Research Use Only. Not for use in diagnostic procedures.