BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Zebrafish RAB10 Antibody Picoband®

Catalog Number: AZQ6DGV5

About RAB10

Ras-related protein Rab-10 is a protein that in humans is encoded by the RAB10 gene. RAB10 belongs to the RAS superfamily of small GTPases. And RAB proteins localize to exocytic and endocytic compartments and regulate intracellular vesicle trafficking. The RAB10 gene is mapped to chromosome 2p23.1-p22.3 by radiation hybrid analysis. It was found that the purified recombinant GAP domain of human AS160 showed GAP activity with RAB2A, RAB8A, RAB10, and RAB14, but not with 14 other RABs. Immunoblot analysis showed that these RABs associated with Glut4-positive vesicles in mouse adipocytes. Thereby, it concluded that AK160 functions as a RAB GAP and that RABs may participate in GLUT4 translocation.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a $20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Overview

Product Name	Anti-Zebrafish RAB10 Antibody Picoband®
Reactive Species	Zebrafish
Description	Boster Bio Anti-Zebrafish RAB10 Antibody Picoband® catalog # AZQ6DGV5. Tested in WB applications. This antibody reacts with Zebrafish. The brand Picoband indicates this is a premium antibody that guarantees superior quality, high affinity, and strong signals with minimal background in Western blot applications. Only our best-performing antibodies are designated as Picoband, ensuring unmatched performance.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na2HPO4.
Storage Instructions	At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing.
Host	Rabbit
Uniprot ID	Q6DGV5

Technical Details


Immunogen	E.coli-derived zebrafish RAB10 recombinant protein (Position: A153-C200).

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Western blot, 0.25-0.5 ug/ml, Zebrafish

BOSTER BIOLOGICAL TECHNOLOGY
3942 B Valley Ave, Pleasanton, CA 94566
888-466-3604 | support@bosterbio.com | www.bosterbio.com

Anti-Zebrafish RAB10 Antibody Picoband® (AZQ6DGV5) Images



Western blot analysis of RAB10 using anti-RAB10 antibody (AZQ6DGV5). Electrophoresis was performed on a 12% SDS-PAGE gel at 80V (Stacking gel) / 120V (Resolving gel) for 2 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: whole female zebrafish tissue lysates, Lane 2: whole male zebrafish tissue lysates.After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-RAB10 antigen affinity purified polyclonal antibody (AZQ6DGV5) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal is developed using an ECL Plus Western Blotting Substrate (Catalog # AR1196-200) with Tanon 5200 system. A specific band was detected for RAB10 at approximately 22 kDa. The expected band size for RAB10 is at 23 kDa.

Anti-Zebrafish RAB10 Antibody

For Research Use Only. Not for use in diagnostic procedures.