

## Anti-Zebrafish CASK Antibody

Catalog Number: AZQ910A4

### About CASK

Peripheral plasma membrane protein CASK is a protein that in humans is encoded by the CASK gene. This gene encodes a calcium/calmodulin-dependent serine protein kinase. The encoded protein is a MAGUK (membrane-associated guanylate kinase) protein family member. These proteins are scaffold proteins and the encoded protein is located at synapses in the brain. Mutations in this gene are associated with FG syndrome 4, intellectual disability and microcephaly with pontine and cerebellar hypoplasia, and a form of X-linked intellectual disability. Multiple transcript variants encoding different isoforms have been found for this gene.


### Overview

|                      |   |
|----------------------|---|
| Product Name         | Anti-Zebrafish CASK Antibody  |
| Reactive Species     | Zebrafish   |
| Description          | Boster Bio Anti-Zebrafish CASK Antibody catalog # AZQ910A4. Tested in IHC, IF applications. This antibody reacts with Zebrafish.  |
| Application          | IF, IHC   |
| Clonality            | Polyclonal  |
| Formulation          | Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na <sub>2</sub> HPO <sub>4</sub> .   |
| Storage Instructions | At -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freezing and thawing. |
| Host                 | Rabbit  |
| Uniprot ID           | Q910A4  |


### Technical Details

|                     |   |
|---------------------|---|
| Immunogen           | E.coli-derived zebrafish CASK recombinant protein (Position: R27-D492).   |
| Form                | Lyophilized   |
| Concentration       | Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.                                       |
| Purification        | Immunogen affinity purified.  |
| Suggested Dilutions | Immunohistochemistry(Paraffin-embedded Section), 2-5 ug/ml, Zebrafish<br>Immunofluorescence, 5 ug/ml, Zebrafish |

## Anti-Zebrafish CASK Antibody (AZQ910A4) Images



IHC analysis of CASK using anti-CASK antibody (AZQ910A4). CASK was detected in a paraffin-embedded section of zebrafish brain tissue. Heat mediated antigen retrieval was performed in EDTA buffer (pH 8.0, epitope retrieval solution). The tissue section was blocked with 10% goat serum. The tissue section was then incubated with 2 ug/ml rabbit anti-CASK Antibody (AZQ910A4) overnight at 4°C. Peroxidase Conjugated Goat Anti-rabbit IgG was used as secondary antibody and incubated for 30 minutes at 37°C. The tissue section was developed using HRP Conjugated Rabbit IgG Super Vision Assay Kit (Catalog # SV0002) with DAB as the chromogen.



IF analysis of CASK using anti-CASK antibody (AZQ910A4). CASK was detected in paraffin-embedded section of zebrafish embryo tissue. Heat mediated antigen retrieval was performed in EDTA buffer (pH8.0, epitope retrieval solution). The tissue section was blocked with 10% goat serum. The tissue section was then incubated with 5ug/mL rabbit anti-CASK Antibody (AZQ910A4) overnight at 4°C. Cy3 Conjugated Goat Anti-Rabbit IgG (BA1032) was used as secondary antibody at 1:500 dilution and incubated for 30 minutes at 37°C. The section was counterstained with DAPI. Visualize using a fluorescence microscope and filter sets appropriate for the label used.

### Submit a product review to [Biocompare.com](https://www.biocompare.com)

Submit a review of this product to [Biocompare.com](https://www.biocompare.com) to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Zebrafish CASK Antibody

For Research Use Only. Not for use in diagnostic procedures.