

Anti-p53 (TP53) Mouse Monoclonal Antibody [Clone ID: OTI1D11]

Catalog Number: M00001-5

Overview


Product Name	Anti-p53 (TP53) Mouse Monoclonal Antibody [Clone ID: OTI1D11]
Reactive Species	Human, Monkey, Mouse
Description	Boster Bio TP53 mouse monoclonal antibody, clone OTI1D11 (formerly 1D11). Catalog# M00001-5. Tested in FC, IF, IHC, WB. This antibody reacts with Human, Monkey, Mouse.
Application	Flow Cytometry, IF, IHC, WB
Clonality	Monoclonal OTI1D11
Formulation	PBS (PH 7.3) containing 1% BSA, 50% glycerol and 0.02% sodium azide.
Storage Instructions	Store at -20°C as received.
Host	Mouse
Uniprot ID	P04637

Technical Details


Immunogen	Full length human recombinant protein of human TP53 (NP_000537) produced in HEK293T cell.
Isotype	lgG1
Concentration	0.98 mg/ml
Purification	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows:




Anti-p53 (TP53) Mouse Monoclonal Antibody [Clone ID: OTI1D11] (M00001-5) Images




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TP53 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TP53.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-TP53 monoclonal antibody.



Immunohistochemical staining of paraffin-embedded Carcinoma of Human lung tissue using anti-TP53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-TP53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer




Immunohistochemical staining of paraffin-embedded Carcinoma of Human pancreas tissue using anti-TP53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer







Immunohistochemical staining of paraffin-embedded Carcinoma of Human bladder tissue using anti-TP53 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer



HEK293T cells transfected with either TP53 (Myc-DDK-tagged) overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-TP53 antibody (M00001-5)



Flow cytometric Analysis of Hela cells



Anti-TP53 mouse monoclonal antibody (M00001-5) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY TP53.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.