

Anti-STAT3 Rabbit Monoclonal Antibody

Catalog Number: M00007-1

About STAT3

The ion channels activated by glutamate are typically divided into two classes. Those that are sensitive to N-methyl-D-aspartate (NMDA) are designated NMDA receptors (NMDAR) while those activated by alpha-amino-3-hydroxy-5-methyl-4-isoxalone propionic acid (AMPA) are known as AMPA receptors (AMPAR). The AMPAR are comprised of four distinct glutamate receptor subunits designated (GluR1-4) and they play key roles in virtually all excitatory neurotransmission in the brain (Keinänen et al., 1990; Hollmann and Heinemann, 1994). The GluR1 subunit is widely expressed throughout the nervous system. Phosphorylation of Ser-845 on GluR1 is thought to be mediated by PKA and phosphorylation of this site increases the conductance of the AMPAR (Roche et al., 1996; Banke et al., 2000). In addition, phosphorylation of this site has been linked to synaptic plasticity as well as learning and memory (Lee at al., 2003; Esteban at al., 2003).

Overview

Product Name	Anti-STAT3 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-STAT3 Rabbit Monoclonal Antibody catalog # M00007-1. Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC, ICC, WB
Clonality	Monoclonal CAB-19
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P40763

Technical Details

Immunogen	A synthesized peptide derived from human STAT3
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


	kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:1000-1:2000 IHC 1:50-1:200 ICC/IF 1:50-1:200
--	--




Anti-STAT3 Rabbit Monoclonal Antibody (M00007-1) Images




All lanes use the Antibody at 1:5K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:5K dilution for 1 hour at room temperature.



Western blot analysis of STAT3 expression in (1) A431 cell lysate; (2) Human liver lysate; (3) Mouse heart lysate; (4) Rat brain lysate.




All lanes use the Antibody at 1:5K dilution for 1 hour at room temperature.


Immunohistochemical analysis of paraffin-embedded Human Hodgkin's lymphoma, using the Antibody at 1:50 dilution.








Immunohistochemical analysis of paraffin-embedded Human astrocytoma, using the Antibody at 1:50 dilution.



Immunohistochemical analysis of paraffin-embedded rat brain, using STAT3 Antibody.



Immunofluorescent analysis of Hela cells treated with IFNalpha, using STAT3 Antibody.

7 Publications Citing This Product

1. PubMed ID: 33542641, Zhang Q, Duan HX, Li RL, Sun JY, Liu J, Peng W, Wu CJ, Gao YX. Inducing Apoptosis and Suppressing Inflammatory Reactions in Synovial Fibroblasts are Two Important Ways for Guizhi-Shaoyao-Zhimu Decoction Against Rheumatoid Arthritis. J Inflamm Res. 2021 Jan 26;14:

- 2. PubMed ID: 26959884, Prognostic role of STAT3 in solid tumors: a systematic review and meta-analysis
- 3. PubMed ID: 23693134, Hu T, Zhang C, Tang Q, Su Y, Li B, Chen L, Zhang Z, Cai T, Zhu Y. Bmc Cancer. 2013 May 22;13:251. Doi: 10.1186/1471-2407-13-251. Variant G6Pd Levels Promote Tumor Cell Proliferation Or Apoptosis Via The Stat3/5 Pathway In The Human Melanoma Xenogr...

Visit bosterbio.com/anti-stat3-rabbit-monoclonal-antibody-m00007-1-boster.html to see all 7 publications.







Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.





Anti-STAT3 Rabbit Monoclonal Antibody