

Anti-FOXP3 Rabbit Monoclonal Antibody

Catalog Number: M00011-3


Overview

Product Name	Anti-FOXP3 Rabbit Monoclonal Antibody
Reactive Species	Human
Description	Boster Bio Anti-FOXP3 Rabbit Monoclonal Antibody catalog # M00011-3. Tested in WB, IHC applications. This antibody reacts with Human.
Application	IHC, WB
Clonality	Monoclonal 17F26
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q9BZS1


Technical Details

Immunogen	A synthesized peptide derived from human FOXP3
Isotype	IgG
Form	Liquid
Concentration	0.5mg/ml
Purification	Affinity-chromatography
Suggested Dilutions	WB 1:500-1:2000 IHC 1:50-1:200


Anti-FOXP3 Rabbit Monoclonal Antibody (M00011-3) Images




Immunohistochemical analysis of paraffin-embedded Human squamous carcinoma, using the Antibody at 1:100 dilution.



Western blot analysis of FOXP3 expression in 293T cell lysate transfected with FOXP3.



Immunohistochemical analysis of paraffin-embedded Human tongue cancer, using the Antibody at 1:100 dilution.



Immunohistochemical analysis of paraffin-embedded Human Hodgkin's lymphoma, using the Antibody at 1:300 dilution.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-FOXP3 Rabbit Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.