

Anti-c-Myc Monoclonal Antibody

Catalog Number: M00026-1


Overview

Product Name	Anti-c-Myc Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-c-Myc Monoclonal Antibody catalog # M00026-1. Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.
Application	Flow Cytometry, IP, IF, IHC, ICC, WB
Clonality	Monoclonal AHI-13
Formulation	Rabbit IgG in stabilizing components, phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. *This antibody is supplied in a stabilized formulation. Compatibility with conjugation reactions depends on the chemistry of the conjugation method used. For conjugation methods that are not compatible with the stabilizing components present in this formulation, a carrier-free antibody format is required.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P01106


Technical Details

Immunogen	A synthesized peptide derived from human c-Myc Transcription factor that binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Activates the transcription of growth-related genes. Myc a proto-oncogenic transcription factor that plays a role in cell proliferation, apoptosis and in the development of human tumors.. Seems to activate the transcription of growth-related genes.
Isotype	Rabbit IgG
Form	Liquid
Concentration	0.5mg/ml
Purification	Affinity-chromatography
Suggested Dilutions	WB 1:500-2000 IHC 1:50-200 ICC/IF 1:50-200 IP 1:20 FC 1:20


Anti-c-Myc Monoclonal Antibody (M00026-1) Images




All lanes use the Antibody at 1:1W dilution for 1 hour at room temperature.




Immunohistochemical analysis of paraffin-embedded human lung cancer, using c-Myc Antibody.



Immunofluorescent analysis using the Antibody at 1:50 dilution.



Immunofluorescent analysis of HeLa cells, using c-Myc Antibody.



Western blot analysis of c-Myc expression in (1) Jurkat cell lysate;(2) K562 cell lysate.

8 Publications Citing This Product

1. PubMed ID: 28819413, Zhang D, Fei F, Li S, Zhao Y, Yang Z, Qu J, Zhang X, Yin Y, Zhang S. J Cancer. 2017 Jul 5;8(11):2114-2123. doi: 10.7150/jca.19723. eCollection 2017. The role of beta-catenin in the initiation and metastasis of TA2 mice spontaneous breast cancer
2. PubMed ID: 28819383, Metformin Inhibits Tumorigenesis and Tumor Growth of Breast Cancer Cells by Upregulating miR-200c but Downregulating AKT2 Expression
3. PubMed ID: 24194897, Li M, Tian L, Wang L, Yao H, Zhang J, Lu J, Sun Y, Gao X, Xiao H, Liu M. Plos One. 2013 Oct 23;8(10):E77829. Doi: 10.1371/Journal.Pone.0077829. Ecollection 2013. Down-Regulation Of Mir-129-5P Inhibits Growth And Induces Apoptosis In Laryngeal Squa...

Visit bosterbio.com/anti-c-myc-antibody-m00026-1-boster.html to see all 8 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-c-Myc Monoclonal Antibody

For Research Use Only. Not for use in diagnostic procedures.